

# Low level graphics software

- Points, lines and pixel-level things.
- A bit of history and some useful techniques

# Line and poly-lines

Drawline 0 0 1 0 ✓

Drawline 1 0 1 1

Drawline 1 1 0 1

Drawline 0 1 0 0

---

# Line and poly-lines

Drawline 0 0 1 0 ✓

Drawline 1 0 1 1 ✓

Drawline 1 1 0 1 ✓

Drawline 0 1 0 0 ✓



# Poly-lines

```
glBegin(GL_LINES);
```

```
glVertex2i(0, 0);
```

```
glVertex2i(1, 0);  ✓
```

```
glVertex2i(1, 1);
```

```
glVertex2i(0, 1);
```

```
glVertex2i(0, 0);
```



# Poly-lines

```
glBegin(GL_LINES);
```


```
glVertex2i(0, 0);
```

```
glVertex2i(1, 0);    ✓
```

```
glVertex2i(1, 1);    ✓
```

```
glVertex2i(0, 1);    ✓
```

```
glVertex2i(0, 0);    ✓
```





# Polygon data structure

```
typedef struct { double x, y; } point;  
typedef point *triangle[3];
```

```
Type point = record x, y: real end;  
  pstore = ^point;  
  triangle = array [1 .. 3] of pstore;
```

# Why?






# Why not arrays of vertices?


- Pointers are smaller than vertices.
- Each vertex appears only once.
- The same vertex can appear logically in more than one triangle.



# Drawing lines at the pixel level



# 16 x 5 Pixel Example



# How Lines are Drawn

- So we increment  $y$  every  $16/5$  steps
- But  $16/5$  is not a whole number
- How do we choose the best pattern?

# Bresenham 1965

- Use relative coordinates
  - solve restricted problem first
- $rx \geq ry$  and  $ry \geq 0$
- use running error  $d$
- every loop  $d := d - ry; x := x+1;$
- sometimes  $d := d + rx; y := y+1;$



```
d = rx / 2;  
incr = rx - ry;  
for (i = 1; i <= rx; i++)  
{  
    x = x+1;  
    if (d < ry)  
    {  
        y = y+1;  
        d = d+incr;  
    } else  
        d = d - ry;  
    pixel[x] [y] = colour;  
}
```

# How does it work?


- Basically doing division by repeated subtraction operations.
- $d$  is a running error term. Whenever the error is big enough we do  $++y$  and thus reduce the error.

# Filled Shapes


- We look at two approaches:
  - Flood Filling
  - Scan lines




# Flood Filling




# Flood Filling




# Flood Filling




# Flood Filling




# Flood Filling



# Flood Filling



# Flood Filling







# Simple approach

```
void fill(pixel me)
{ pixel tmp;
  colour(me);
  for(tmp = each me-neighbour)
  { if (!coloured(tmp)) then
    fill(tmp);
  }
}
```

# Watch the stack



# Watch the stack



# Watch the stack

		a	b	c		
		d	e	f		
		g	h	i		
				j		

g
d

# Watch the stack

		a	b	c		
		d	e	f		
		g	h	i		
				j		

g
d
a
b
c
f
i
h

# Watch the stack

[illegible]

g
d
a
b
c
f
i
h

# Watch the stack


g
d
a
b
c
f
i
h
e



# Better with a queue

		a	b	c		
		d	e	f		
		g	h	i		
			j			

**g d h a e i b f j c**

# Better with a queue

The image shows a 7x7 grid with a cyan background. A 3x3 pattern of letters is centered in the grid. The letters are: Row 3: a, b, c; Row 4: d, e, f; Row 5: g, h, i; Row 6: (empty), j, (empty). The grid has a cyan background with red and yellow highlights. The letters are in a black serif font.

**g d h a e i b f j c**

# Better with a queue

		a	b	c		
		d	e	f		
		g	h	i		
				j		

**g d h a e i b f j c**

# Better with a queue

		a	b	c		
		d	e	f		
		g	h	i		
				j		

**g d h a e i b f j c**

# Better with a queue

		a	b	c		
		d	e	f		
		g	h	i		
				j		


**g d h a e i b f j c**

# Better with a queue

		a	b	c		
		d	e	f		
		g	h	i		
				j		


**g d h a e i b f j c**

# Better yet with runs







# Better yet with runs




# Better yet with runs




# Better yet with runs




# Better yet with runs




# Better yet with runs




# Better yet with runs



# Better yet with runs




# Inescapable problems






# Don't wait for pixels...



## ...Scan across row polygon


# Intersection calculation




# Basic scan-line filler

- Scale polygon to screen coordinates
- For each horizontal line find all intersections with polygon edges
- Draw in alternate line segments


Scan line



# Double intersection



# Offset vertices



# Aha!

