

LIST PP13SY.BAS

```
1 1 REY,PP13SY,PROGRAMMED, BY, PROGENZ, FOR, POLYCORP, NZ, DATE:20/05/81, TIME:12:15
2 100 Z1X=USR(1211,3)
3 101 ZKX=-1;ZLX=0;ZMX=1;ZNX=2;ZH=32767;ZH=65536;ZOX=256;ZPX=512;Z1X=18;ZJZ=19;ZLS=CHR$(0);POKE1182,ZMX;GOSUB4400;GOTO4500
4 200 Z1X=USR(10,5888);Z1S=Z$+CHR$(ZLX);Z=DPEEK(PTR(Z1S));IFZ>ZH THEN Z=Z-ZH
5 201 Z1X=USR(9,5888,Z);IFZ2X=2 THEN RETURN
6 300 ZX=ASC(INCH$);IFZX=9 OR ZX=8 AND Z2X=1 THEN Z1X=USR(10,5888);RETURN
7 301 GOTO300
8 400 Z3X=USR(ZJX);IFZ1X=ZMX THEN IF(Z3X AND 6144)=6144 THEN RETURN
9 401 IFZ1X=ZNX THEN IF(Z3X AND 4)=4 THEN RETURN
10 402 IFZ1X=ZKX THEN Z1X=8 ELSE IFZ1X=ZLX THEN Z1X=8192
11 403 IFZ2X=ZMX THEN Z1X=USR(Z1X,Z3X OR Z1X);RETURN
12 404 Z1X=USR(Z1X,Z3X AND NOT Z1X);RETURN
13 500 Z$=Z1S;GOSUB600;Z1S=CHR$(Z$);Z$=Z2S;GOSUB600;Z2S=CHR$(Z$+16);FORZX=ZLX TO 11;Z1X(Z$)=ZPX;Z2X(Z$)=ZPX;NEXTZ$;Z8X=ZKX;RETURN
14 600 ZX=INSTR(ZMX,Z1$(4),LEFT$(Z$,ZMX));IFZX=0 THEN ZX=7
15 601 RETURN
16 700 IFZ1X>55 OR Z3S="" THEN RETURN
17 701 Z3X=Z1X/8;Z2X=(Z1X-Z3X*8)*5;Z1X=Z3X*3;Z5X=ASC(Z3S);Z4X=LEN(Z3S)
18 702 IFZ5X>31 THEN Z3X=ZLX ELSE Z3S=MID$(Z3S,ZNX);Z$=Z5X;Z3X=(Z4X-ZMX)/Z5X;Z4X=Z$;Z5X=ASC(Z3S)
19 703 Z8X=Z8X+ZMX;Z1X(Z8X)=Z1X+ZMX;Z2X(Z8X)=Z2X+ZNX;FORZX=ZLX TO ZNX;PRINT$(Z1X+ZMX,Z2X)Z2S;Z1S(ZX);NEXTZX
20 704 IFZ4X=ZMX AND Z3X=ZLX AND Z5X>63 AND Z5X<96 THEN PRINT$(Z1X+ZMX,Z2X+ZNX)Z3S;RETURN
21 705 Z2X=Z2X-Z4X-ZMX;IFZ2X<ZLX THEN Z2X=ZLX
22 706 IFZ3X=ZLX THEN PRINT$(Z1X+ZMX,Z2X)Z1S;Z3S;RETURN
23 707 FORZX=ZLX TO Z3X;PRINT$(Z1X+ZMX,Z2X)Z1S;MID$(Z3S,Z4X*ZX+ZMX,Z4X);NEXTZX;RETURN
24 800 Z1X=USR(10,5888);PRINT$(22,ZLX)"USE THE CURSOR ARROWS TO SELECT BOX";Z1S="THEN PRESS ENTER TO ENTER SELECTION"+CHR$(ZLX)
25 801 Z=DPEEK(PTR(Z1S));IFZ>ZH THEN Z=Z-ZH
26 802 Z1X=USR(9,5888,Z);Z3X=ZLX;IFZ8X<ZLX THEN ZX=ZKX;RETURN
27 900 Z1X=Z1X(Z3X);Z2X=Z2X(Z3X);PRINT$(Z1X,Z2X)";ZCX=USR(15);IFZCX<128 THEN Z1S=CHR$(ZCX+128) ELSE Z1S=CHR$(ZCX-128)
28 901 Z2S=CHR$(ZCX);Z$=Z1S
29 1000 PRINT$(Z1X,Z2X)Z$;ZCX=ZLX
30 1100 Z2S=INCH$;IFZ2S<>ZL$ THEN 1200
31 1101 ZCX=ZCX+ZMX;IFZCX<35 THEN 1100
32 1102 IFZ$=Z1S THEN Z$=Z2S ELSE Z$=Z1S
33 1103 GOTO1000
34 1200 ZX=ASC(Z2S);PRINT$(Z1X,Z2X)Z2S;IFZX<8 OR ZX>13 OR ZX=1200 TO 1000
35 1201 IFZX=13 THEN ZX=USR(10,5888);PRINT$(Z1X,Z2X)Z1S;ZX=Z3X+ZMX;RETURN
36 1202 ON ZX-7 GOTO1300,1500,1700,1900
37 1300 Z4X=ZKX;ZOX=Z3X;Z9X=Z3X;Z5X=Z2X;FORZ7X=0 TO Z8X;IFZ7X=Z3X OR Z1X(Z7X)<>Z1X THEN 1400
38 1301 Z6X=Z2X(Z7X);IFZ6X<Z2X AND Z6X>Z4X THEN Z4X=Z6X;Z9X=Z7X
39 1302 IFZ6X>Z5X THEN Z5X=Z6X;ZOX=Z7X
40 1400 NEXTZ7X;IFZ4X=ZKX THEN Z3X=ZOX ELSE Z3X=Z9X
41 1401 GOTO900
42 1500 Z4X=ZPX;ZOX=Z3X;Z9X=Z3X;Z5X=Z2X;FORZ7X=ZLX TO Z8X;IFZ7X=Z3X OR Z1X(Z7X)<>Z1X THEN 1600
43 1501 Z6X=Z2X(Z7X);IFZ6X>Z2X AND Z6X<Z4X THEN Z4X=Z6X;Z9X=Z7X
44 1502 IFZ6X<Z5X THEN Z5X=Z6X;ZOX=Z7X
45 1600 NEXTZ7X;IFZ4X=ZPX THEN Z3X=ZOX ELSE Z3X=Z9X
46 1601 GOTO900
47 1700 Z4X=ZPX;ZOX=Z3X;Z9X=Z3X;Z5X=Z1X;FORZ7X=ZLX TO Z8X;IFZ7X=Z3X OR Z2X(Z7X)<>Z2X THEN 1800
48 1701 Z6X=Z1X(Z7X);IFZ6X>Z1X AND Z6X<Z4X THEN Z4X=Z6X;Z9X=Z7X
49 1702 IFZ6X<Z5X THEN Z5X=Z6X;ZOX=Z7X
50 1800 NEXTZ7X;IFZ4X=ZPX THEN Z3X=ZOX ELSE Z3X=Z9X
51 1801 GOTO900
52 1900 Z4X=ZKX;ZOX=Z3X;Z9X=Z3X;Z5X=Z1X;FORZ7X=ZLX TO Z8X;IFZ7X=Z3X OR Z2X(Z7X)<>Z2X THEN 2000
53 1901 Z6X=Z1X(Z7X);IFZ6X<Z1X AND Z6X>Z4X THEN Z4X=Z6X;Z9X=Z7X
54 1902 IFZ6X>Z5X THEN Z5X=Z6X;ZOX=Z7X
55 2000 NEXTZ7X;IFZ4X=ZKX THEN Z3X=ZOX ELSE Z3X=Z9X
56 2001 GOTO900
57 2100 CLS;PRINT$(9,0)"PREPARE DIGITIZER";Z$=ZA$;Z2X=ZLX;GOSUB200;CLS;AZ=USR(24576);Z1X=ZKX;Z2X=ZMX;GOSUB400;Z1X=ZLX;Z2X=ZMX
58 2101 GOSUB400;RETURN
59 2200 CLS;PRINT$(20,0)"ENTER -1 TO RETURN TO SELECT";INPUT"TOP ROW NUMBER";A1X;IFA1X=-1 THEN RETURN
60 2201 IFA1X=-1 THEN 2300
2202 XX=AX-3;TBX=1;GOSUB2400
```

```

2300 IFA1X<00RA1X>203THENAZ=-1:GOTO2200
1 2301 AX=A1X:IFA1X>=BXANDBX<>-1THENCLS:PRINT(20,0)"TOP MUST BE LESS THAN BOTTOM":Z1X=USR(25,200):GOTO2200
2 2302 IFA1X<0THENA1X=A1X-1
3 2303 XX=AX-3:GOSUB2600:CLS:ZS=ZAS+ZBS:Z2X=ZMX:GOSUB200:IFZX=8THEN2200
4 2304 RETURN
5 2400 CLS:PRINT(20,0)"ENTER -1 TO RETURN TO SELECT":INPUT"BOTTOM ROW NUMBER":B1X:IFB1X=-1THENRETURN
6 2401 IFB1X=-1THEN2500
7 2402 XX=B1X+3:TBX=1:GOSUB2600
8 2500 IFB1X<0ORB1X>203THENB1X=-1:GOTO2400
9 2501 IFB1X<=AXANDAX<>-1THENCLS:PRINT(20,0)"BOTTOM NOT LESS THAN TOP":Z1X=USR(25,200):GOTO2400
10 2502 BX=B1X:IFB1X<203THENB1X=B1X-1
11 2503 XX=B1X+3:GOSUB2600:CLS:ZS=ZAS+ZBS:Z2X=ZMX:GOSUB200:IFZX=8THEN2400
12 2504 RETURN
13 2600 IFXZ<1THENRETURN
14 2601 IF(USR(ZJX)AND6144)<>6144THENZ1X=USR(46,ZNX)
15 2602 T1X=(XX-3)/10:T2X=XX-T1X*10:IFT2X<3THENT$=T1$ELSEIFT2X<7THENT$=T2$ELSESET$=T3$
16 2603 IFTBX=1THENT$=S$
17 2604 PRINT(T1X,T2X):TBX=0:Z1X=USR(46,ZMX):RETURN
18 2700 CLS:PRINT(20,0)"ENTER -1 TO RETURN TO SELECT":INPUT"LEFT COLUMN NUMBER":L1X:IFL1X=-1THENRETURN
19 2701 IFL1X=-1THEN2800
20 2702 XX=L1X-1:TLX=0:TSX=1:GOSUB3100
21 2800 IFL1X<0ORL1X>39THENL1X=-1:GOTO2700
22 2801 IFL1X>=RXANDRX<>-1THENCLS:PRINT(20,0)"LEFT MUST BE LESS THAN RIGHT":Z1X=USR(25,200):GOTO2700
23 2802 LX=L1X:XX=L1X-1:TLX=0:GOSUB3100:CLS:ZS=ZAS+ZBS:Z2X=ZMX:GOSUB200:IFZX=8THEN2700
24 2803 RETURN
25 2900 CLS:PRINT(20,0)"ENTER -1 TO RESELECT":INPUT"RIGHT COLUMN NUMBER":R1X:IFR1X=-1THENRETURN
26 2901 IFR1X=-1THEN3000
27 2902 XX=R1X+1:TLX=1:TSX=1:GOSUB3100
28 3000 IFR1X<0ORR1X>39THENR1X=-1:GOTO2900
29 3001 IFR1X<=LXANDLX<>-1THENCLS:PRINT(20,0)"RIGHT MUST BE MORE THAN LEFT":Z1X=USR(25,200):GOTO2900
30 3002 RX=R1X:XX=R1X+1:TLX=1:GOSUB3100:CLS:ZS=ZAS+ZBS:Z2X=ZMX:GOSUB200:IFZX=8THEN2900
31 3003 RETURN
32 3100 IFXZ>39ORXZ<0THENRETURN
33 3101 IF(USR(ZJX)AND6144)<>6144THENZ1X=USR(46,ZNX)
34 3102 IFTLX=0ANDXZ<>-1THENW$=L$ELSEW$=R$
35 3103 IFTSX=1THENW$=" "
36 3104 IFXZ=-1THENXZ=0
37 3105 FORZX=0TO2:PRINT(Z,X)W$:NEXTZX:TSX=0:Z1X=USR(46,ZMX):RETURN
38 3200 CLS:IFAX=-1ORB1X=-1ORL1X=-1ORR1X=-1THENPRINT(21,0)"BOUNDARIES ARE NOT ALL SET":Z1X=USR(25,200):RETURN
39 3201 PRINT(21,0)":INPUT"SCREEN (01 OR 02)":F$:IFF$="01"THEN3300
40 3202 IFF$="02"THEN3400
41 3203 GOTO3200
42 3300 POKE1160,Z1X:Z1X=ZNX:Z2X=ZLX:GOSUB400:GOTO3500
43 3400 IFPEEK(1164)>Z1XTHENPOKE1160,ZNX
44 3401 Z1X=ZLX:Z2X=ZLX:GOSUB400
45 3500 INPUT"FILENAME":X$:ZS=ZAS+ZBS:Z2X=ZMX:GOSUB200:IFZX=8THEN3200
46 3501 IFAZ>BZTHENAZ=BZ
47 3502 IFLZ>RZTHENLZ=RZ
48 3503POKE1165,16384
49 3504Z1X=USR(1229,1165,CVT$(CHR$(AZ)+CHR$(LZ)),CVT$(CHR$(BZ)+CHR$(RZ)))
50 3505OPENNEWXSAS12
51 3506Z$=" ":Z=PTR(Z$):Z1=DPEEK(Z):DPOKEZ,16384:DPOKEZ+2,(BZ-AZ+ZMX)*(RZ-LZ+ZMX)
52 3507DPOKE Z+2,DPEEK(Z+2)+2:DPOKE16384,LEN(Z$)
53 3508FORZX=1TOLEN(Z$)STEP252
54 3509PRINT 12,MID$(Z$,Z,252):NEXTZX:DPOKEZ,Z1:DPOKEZ+2,0:CLOSE12
55 3510RETURN
56 3600 AX=-1:B1X=-1:L1X=-1:R1X=-1:IF(USR(ZJX)AND6144)<>6144THENZ1X=USR(46,ZNX)
57 3601 CLS:Z1X=USR(46,ZMX):RETURN
58 3700 CLS:PRINT(21,0)":INPUT"COLOUR (1-7)":CX:IFCX<1ORCX>7THEN3700
59 3800 IF(USR(ZJX)AND6144)<>6144THENZ1X=USR(46,ZNX)
60 3801 FORZX=0TO21:PRINT(Z,0)CHR$(16+CX):NEXTZX:Z1X=USR(46,ZMX):RETURN
3900 GOSUB4200:Z1X=ZNX:Z2X=ZLX:GOSUB400:ZS=ZAS:Z2X=ZLX:GOSUB200:RETURN

```

```
4000 GOSUB4200:Z1Z=ZLZ:Z2Z=ZLZ:GOSUB400:Z5=ZA$:Z2Z=ZLZ:GOSUB200:RETURN
4100 GOSUB4200:Z5=ZA$:Z2Z=ZLZ:GOSUB200:RETURN
4200 CLS:IFAZ=-1THENA1$="NOT SET"ELSEA1$=STR$(AZ)
4201 PRINT(20,15)"TOP =" ;A1$ ; IFLZ=-1THENA1$="NOT SET"ELSEA1$=STR$(LZ)
4202 PRINT(21,0)"LEFT =" ;A1$ ; IFRZ=-1THENA1$="NOT SET"ELSEA1$=STR$(RZ)
4203 PRINT(21,26)"RIGHT =" ;A1$ ; IFBZ=-1THENA1$="NOT SET"ELSEA1$=STR$(BZ)
4204 PRINT(22,13)"BOTTOM =" ;A1$ ; RETURN
4300 CLS:GOTO4800:RETURN
4400 Z1Z=USR(Z1Z,1544):Z1Z=USR(46,ZMZ):Z1Z=USR(10,5888):DPOKE1160,3:Z1Z=USR(11,ZLZ):Z1Z=USR(47):RETURN
4500 ZA$=CHR$(5)+"PRESS"+CHR$(8)+"I"+CHR$(9)+"TO CONTINUE":ZB$=","+CHR$(8)+"C"+CHR$(9)+"TO GO BACK":DIMZ1$(4),Z1Z(11),Z2Z(11)
4501 Z1$(ZLZ)="<,1":Z1$(ZMZ)="5"+CHR$(127)+"j":Z1$(ZNX)="-.,":Z1$(3)=" "+CHR$(31):Z1$(4)="RGBMC"
4502 Z1Z=USR(Z1Z,USR(ZJZ)ANDNOT1120R48):CLS:PRINT(ZLZ,ZLZ)"PP13SY";PRINT(ZLZ,24)CHR$(ZMZ);"POLY SYSTEM";
4503 PRINT(22,ZLZ)CHR$(ZMZ);"PROGRAMMED BY PROGENI";PRINT(ZMZ,13)CHR$(4);CHR$(13);"DIGITIZER";
4504 PRINT(5,11)CHR$(4);CHR$(13);"INPUT PROGRAM";Z5=ZA$:Z2Z=ZLZ:GOSUB200:CLS:Z1Z=USR(Z1Z,USR(ZJZ)ANDNOT112)
4600 S$=SPC(38):R$=CHR$(53):L$=CHR$(106):CX=7:T1$=SPC(38,35):T2$=SPC(38,44):T3$=SPC(38,112):Z1Z=ZNX:Z2Z=ZMZ:GOSUB400
4601 POKE1160,ZLZ:GOSUB3600:GOSUB3900:Z1Z=USR(46,ZMZ):CLS:Z1Z=ZKZ:Z2Z=ZMZ:GOSUB400
4700 CLS:Z1Z=ZLZ:Z2Z=ZLZ:GOSUB400:Z1Z=ZNX:Z2Z=ZLZ:GOSUB400:Z1Z=ZMZ:Z2Z=ZLZ:GOSUB400:Z1$="WHITE":Z2$="C":GOSUB500:Z1Z=11
4701 Z3$="FINISH":GOSUB700:Z1Z=15:Z3$="Set TOP":GOSUB700:Z1Z=23:Z3$="Set BOTTOM":GOSUB700:Z1Z=31:Z3$="Set LEFT side":GOSUB700
4702 Z1Z=39:Z3$="Set RIGHT side":GOSUB700:Z1Z=27:Z3$="SAVE on disk":GOSUB700:Z1Z=19:Z3$="Run DIGITIZER":GOSUB700:Z1Z=55
4703 Z3$="CLEAR boundary":GOSUB700:Z1Z=35:Z3$="Set COLOUR":GOSUB700:Z1Z=51:Z3$="DISPLAY G1/G2":GOSUB700:Z1Z=43
4704 Z3$="DISPLAY G1 ":GOSUB700:Z1Z=47:Z3$="DISPLAY G2 ":GOSUB700:GOSUB800:Z1Z=ZLZ:Z2Z=ZMZ:GOSUB400:Z1Z=ZNX:Z2Z=ZMZ:GOSUB400
4705 Z1Z=ZMZ:Z2Z=ZMZ:GOSUB400:DNZZGOSUB4300,2200,2400,2700,2900,3200,2100,3600,3700,4100,3900,4000
4706 GOTO4700
4800 REM
4900 GOSUB4400:POKE1184,1:END
5000 IFERR=30THENRESUME
5001 GOSUB4400:CLS:IFERR=34THENRESUME4900
5002 POKE1184,0:Z1Z=USR(Z1Z,USR(ZJZ)ANDNOT1120R96):PRINT(4,9)CHR$(13);"An ERROR has occurred!"
5003 PRINT(8,ZLZ)"Ask your teacher to record in the LOG":PRINT(10,10)"Program PP13SY":PRINT(11,10)"Line number ";ERL
5004 PRINT(12,10)"Error type ";ERR:PRINT(13,10)"Date ";DATE$:Z5=ZA$:Z2Z=ZLZ:GOSUB200:RESUME4900
```